

McDermott Light & Signal



www.mcdermottlight.com

ARROWBOARDS



McDermott Roof-Mounted Motorized Arrowboard


- Multi-directional with travel positions
- Heavy duty aluminum channels
- Low power consumption
- LED lamp life up to 40,000 hrs
- Heavy duty weatherproof motor assembly
- Variation of sizes (ft): 2 x 4 | 2 ½ x 5 | 3 x 5





Wireless Arrowboard Controller

- Full-motor control lifts board up and down
- Operates on two AA alkaline batteries and can last up to one year without charge
- Features 5 modes: left, right, double arrow, travel bar, or four corners flashing
- LED display reflects traffic indication on the board
- Dimensions: 5 ¾" x 3 ¼" x 1 ½"



Lightweight Arrowboard

- High-intensity LEDs with low power consumption & dimming capabilities
- Lightweight aluminum structure with stainless steel hardware for mounting
- Rugged water-tight design






LIGHT BARS

McDermott Multi-level Vertical Light Bar

- Highly-customizable platform allowing for various arrangements of LEDs & spotlights
- Optional floodlights provide additional area illumination
- Constructed with powder coated aluminum materials and stainless steel hardware
- LED colors available in red, green, blue, amber, & white
- · Custom alternating flash patterns available
- 50% on time providing good depth perception to approaching traffic





Floodlights

Average Life of 50,000 Hours

Color: Charcoal gray

Wattage: 10-50 Watts

• Lumens: 700 - 3500 lm

Voltage: 12 VDC to 24 VDC

 Corrosion-resistant, coated aluminum die casted housing with stainless steel brackets

• Ambient temperature range of -40 + 60 C

Rated IP65 for dust and water jet protection



3' - 3 34'



Lighting your way to safety!



